



International Journal of ChemTech Research CODEN (USA): IJCRGG, ISSN: 0974-4290, ISSN(Online):2455-9555 Vol.11 No.08, pp 188-192, 2018

Screening of Antioxidant Property and Phytochemical Constituents of Ethereal Extract of *Vitex nigundo* Linn Leaves

Samreen Fatema¹, Mazahar Farooqui², Bhimraj Gawade³, and Pathan Mohd Arif^{*1}

¹Post graduate and research center, Maulana Azad college, Aurangabad (MS), India 431001.

²Dr. Rafiq Zakaria College for women, Navkhanda, Aurangabad (MS) India 431001. ³AnandraoDhonde Alias Babaji Mahavidyalaya, Kada, Dist. Beed (MS) India

Abstract : *Vitex negundo* belongs to the family Verbenaceae. Literature survey of the plant reveal that the *vitex negundo* possess antimicrobial, anti-inflammatory, analgesic, antibacterial, antifungal, anti-insects activities. In the present study the phytochemical compounds present in the ether extract of *vitex negundo linn* leaves extract analyzed and the free radical scavenging capacity of the extract. The experimental data showed that the ether extract of *vitex negundo linn* contain alkaloids, carbohydrate, glycosides, amino acids, proteins, tannins and phenolic compounds. The free radical scavenging capacity of the sample was measured by DPPH (2, 2-diphenyl-1-picrylhydrazyl) method. The IC₅₀ value of the ascorbic acid which is used as the standard is 14.97 while for sample is 46.84. the ether extract of *vitex negundo* leaves shows good antioxidant property. **Keywords :** Nirgudi, phytochemical, antioxidant, Ether extract.

Introduction :

Plants having great potential to produce new drugs, through which humans can take benefit for the good healthy life [1]. Several infectious diseases can be treated with the traditional remedies [2]. The drugs which are used in the last 20 years to cure different type of diseases from which more than 25% are directly drive from plants [3]. The medicinal plants have been characterized for their bioactive compounds, which have been separated and subjected for their detailed structural analysis in the area of phytochemistry [4]. Naturally occurring drugs are easily available, less expensive, safe and having very less side effects [5].

Vitex negundo which belongs to the Verbenaceae commonly known as Nirgudi in India [6, 7]. It is having large and aromatic shrub with bluish purple flowers [8] spared in the region of Himalaya. It is genus tree and *vitex* have near about 800 species [9]. *Vitex* species are traditionally used in Indian system of medicine [10].

Pathan Mohd Arif et al /International Journal of ChemTech Research, 2018,11(08): 188-192.

DOI= <u>http://dx.doi.org/10.20902/IJCTR.2018.110821</u>

Literature survey of vitex negundo revealed that various extracts of vitex negundo shows the cytotoxicity [11], antimicrobial [12-14], anti-inflammatory, analgesic [15], anti-bacterial [16, 17], anti-fungal [18-20], anti-insect [21], anti-oxidant [22, 23] mosquito repellent [24], anticancer activities [25]. Reema Murthy et al [26] also reported the presence of phytoconstituents like tannins, flavonoids, flavones and coumarins, Sahajaya et al [27] also reports the presence alkaloids, phenolic compounds, saponin of various extracts of vitex negundo Linn.

Many researchers have studied and report the different activities of vitex negundo Linn. from the different regions throughout the world. For the present study we have selected the leaves of vitex negundo Linn. to know it medicinal properties from the Aurangabad region.

Material and Methods:

The plant material was collected from Vasantrao Naikcollege Aurangabad. The leaves were dried in the shadow, grinded in grinder and extracted using ether as a solvent by Soxhletextracter. The solvent was evaporated and solid mass obtained was tasted for various phytochemical parameters such as alkaloids(Mayer's test, Wagner's test, Hager's test). Carbohydrates (Molish test, Fehling's test, Benedicts's test, Barfoad's test), Glycosides (Borntrager's test, Legal's test), proteins and amino acids (Millon's test, Nitric acid test, Biuret test, Ninhydrine test), Foam test, Phenolic compounds and tannin (Ferric chloride test, Gelatin test, Lead acetate test, alkaline reagent test). The procedures involved is describe in earlier reports [28].

Result and Discussion:

In the present study, ether extract of leaves of Vitex negundo Linn .was tested for Phytochemical constituents present in the it, and antioxidant activity also measured and IC₅₀value was calculated.

Evaluation of Phytochemical Constituents:

The medicinal properties of the plants are due to some chemical substances that produced some certain definite physiological action in the human body these non-nutritive components are called as phytochemicals [29]. The secondary metabolites found in plants are active principles of many drugs. Therefore the investigation for the basic phytochemicals of the extracts for the major phytoconstituents is also vital [30]. Traditionally used medicinal plant produced variety of 432compounds which are known for the therapeutic action [31]. Saponins one of the phytoconstituents used to stop bleeding and in treating wounds and ulcers as it helps in red blood cell coagulation [32]. Tannins are reported for their anti-bacterial and anti-herpetic activities and provides defense [33].alkaloids defense from chronic disease [34]. Steroids and triterpenoids shows the analgesic properties [35].

The present study reveal that ether extract of Vitex negundo Linn shows the presence alkaloids, carbohydrates, proteins, amino acid, phenolic compounds and tannins the results showed in table 1.

Table 1: Preliminary phytochemical screening of vitex negundo ether extra

Sr. No.	Reagent		
		DEE	
1.	Detection of Alkaloids		
А.	Mayer's test	-ve	
В.	Wagner's test	+ve	
C.	Hager's test	-ve	
2.	Detection of carbohydrate		
А.	Molish test	+ve	
В.	Fehling's test	+ve	
C.	Benedic test	-ve	
D.	Barfoad's test	+ve	
3.	Detection of Glycosides		
A.	Borntrager's test	-ve	
В.	Legal's test	-ve	
4.	Foam test	+ve	

5.	Detection of proteins and amino acid		
A.	Millon's test	-ve	
В.	Nitric acid test	+ve	
C.	Biuret test	-ve	
D.	Ninhydrine test	-ve	
6.	Detection of phenolic compound and tannins		
A.	Ferricchlorid test	+ve	
B.	Gelatin test	-ve	
C.	Lead acetate test	+ve	
D.	Alkaline reagent test	+ve	

The three test out of four are positive for carbohydrate, glycoside are found to be absent. The positive foam test indicate presence of saponin. The phenolic compounds are tannins are found to be present and hence it was decided to carry out screening of antioxidant activity.

Evaluation of Antioxidant Property:

Antioxidants are the chemicals that neutralize or scavenges free radicals or reactive oxygen species (ROS) [36]. Antioxidants may be defined as radical scavenger which protects the human body against free radicals that may causes pathological conditions [37] It is also reported that ROS is implicated is a wide range

of human disease like atherosclerosis and certain cancer [38]. O_2^- and OH play an important role in the maintenance of process of inflammatory and as well as pain causing tissue damage [39].

In the present study free radical scavenging capacity of the extract is measured by DPPH (2, 2diphenyl-1-picrylhydrazyl), showed in table 2. The IC_{50} value of ethereal extract was found to be 46.84 % which is more compared to IC_{50} value of ascorbic acid. The extract shows antioxidant property but less effective though it test positive for phenolic compounds and tannins.

Sr.	Concentration	% Inhibition	% Inhibition
no.	(µg/ml)	Ascorbic acid	Extract
1.	5	40.48	42.30
2.	10	45.09	43.39
3.	20	55.15	45.45
4.	30	59.39	46.466
5.	40	67.15	48.36
6.	50	68.00	50.78
IC ₅₀ value (µg/ml)		14.97	46.84

Table 2: Radical scavenging capacity of the ether extract of Vitex negundo linn leaves.

Conclusion:

The result of the present study reveal that the ether extract of the *vitex negundo linn* leaves extract shows the positive result for the alkaloids, carbohydrate, glycosides, proteins, amino acid, tannins and phenolic compounds. The sample also shows the good antioxidant property. The IC_{50} values of the ascorbic acid which is used as the standard reference is 14.97 and for the sample is 46.84.

References:

- 1. M.S. Saluja, B.Sangameswaran and A. Sharma, "Cytotoxic activity of *Vitex negundo* against Ehrlich Ascites Carcinoma (EAC) in mice" International journal of pharmtech research, 2010, 2, 1369-1375.
- 2. Zaidan M.R.S, Noor Rain A, Badrul A.R, Adin A, Norazah A and Zakiah I, "In vitro screening of feve local medicinal platns for antibacterial activity using disc diffusion method", Tropical biomedicine, 2005, 22 (2), 165-170.

- 3. Md. Soriful Islam, Most. Mauluda Akhtar, Md. Sarwar Parvez, Md. Jahangir Alam and M. Firoz Alam, "Antitumor and antibacterial activity of crude methanol leaf extract of *Vitex Negundo L*." Arch. Biological science, Belgrade, 2013, 65 (1), 229-238.
- 4. Donald P. Briskin, "Medicinal plants and phytomedicines. Linking plant and biochemistry and physiology to human health", plant physiology, 2000, 124.
- 5. Thite SV, Chavan YR, Aparadh VT and Kore BA, "Preliminary Phytochemical screening of some medicinal plants" International journal of pharmaceutical, chemical and biological sciences, 2013, 3(1), 87-90.
- 6. Chitra V, Shrinivas Sharma, Nandu Kayande, "Evaluation of anticancer activity of *Vitex negundo* in experimental animals: An in vitro and in vivo study" International journal of pharmtech research, 2009, 1 (4), 1485-1489.
- 7. Pradeep Singh, Garima Mishra, K. K. Jha, Vipin Kumar Garg, R. L. Khosa, "Chemical composition and antimicrobial activity of essential oil of leaves of *Vitex negundo Linn*. (Verbenaceae)" International journal of chemtech research, 2010, 2 (3), 1686-1690.
- 8. R. S Adnaik, P.T Pai, S. N Mule, N.S. Naikwade, C.S Magdum, "Laxative activity of *vitex negundo Linn* leaves" Asian journal of experimental science, 2008, 22 (1), 159-160.
- 9. Tushar Dhanani, Satyanshu Kumar, "Comparative evaluation of antioxidant potential of extracts of *vitex negundo, vitex trifolia, terminalia bellerica, terminalia chebula, embelica officinalis* and *asparagus racemosus*" Innovation in pharmaceuticals and pharmacotherapy, 2013, 1(1), 44-53.
- 10. Krishnan Kannathasan, Annadurai Senthikumar, Venugopalan Venkatesalu, "In vitro antibacterial potential of some *vitex* species against human pathogenic bacteria", Asian pacific journal of tropical medicine, 2011, 645-648.
- 11. Azhar-ul-Haq, Abdul Malik, Itrat Anis, Sher Bahadar Khan, Ejaz Ahmed, Zaheer Ahmed, Sarfraz Ahmad Nawaz and Muhammad Iqbal Choudhary, "Enzymes inhibiting lignans from *vitex negundo*" Chem pharm bulletain, 2004, 52(11), 1269-1272.
- 12. Monali G. Desale and M.G. Bodhankar, "Antimicrobial activity of endophytic fungi isolated from *vitex negundo Linn*." International journal of current microbiology and applied sciences, 2013, 2 (12).
- 13. E. C.Jeyaseelan, M.K.Pathmanathan and J.P.Jeyadevan, "Inhibitory effect of different solvent extract of *Vitex negundo L.* and *Allium sativam L.* on phytopathogenic bacteria" Archive of Applied science research, 2010, 2(6), 325-331.
- 14. Prasanna K and Yuwvaranni S, "Preliminary phytochemical screening and antibacterial activity of Datura metel and vitex negundo against bacterial cold water disease causing organism" International journal of pharmacy and pharmaceutical sciences, 2014, 6 (5).
- 15. M.G. Dharmasiri, J.R.A.C.Jayakody, G.Galhena, S.S.P. Liyanage, W.D. Ratnasooriya, "Antiinflammatory and analgesic activities of mature fresh leaves of *vitex negundo*" journal of Ethnopharmacology, 2003, 87, 199-206.
- 16. Naseem Ahmad, Md Imran khan, Sarfraz Ahmad, Saad Bin Javad, Mohammad Faisal, Mohammad Anis, Sumbul Rehman, Syed Mohammad Umair, "Change in total phenolic content and anti-bacterial activity in regenerants of *vitex negundo* L." Acta physiol plant, Springer,2012, DOI 10.1007/s11738-012-1120-x.
- 17. R. Malathi, A. Cholarajan, K. Karpagam, K.R. Jaya and p. Muthukumaran, "Anti-microbial studies on selected medicinal plants (*Coleus amboinicus, Phyla nodiflora* and *Vitex negundo*), Asian journal of pharmaceutical technology, 2011, 1(2), 53-55.
- 18. Shaukat Mahmud, Huma Shareef, Umbreen Farrukh, Arfa Kamil and Ghazala H. Rizwani, "Anti-fungal activities of *Vitex negundo Linn.*" Pakistan journal of botaney, 2009, 41(4), 1941-1943.
- N. Siva, S. Ganesan, N. Banumathy and Muthuchelian, "Anti-fungal effect of leaf extract of some medicinal plants against *Fusarium oxysporum* causing wilt disease of *Solanum melogena L*." Ethnobotanical leaflets, 2008, 12, 156-163.
- 20. Sanjay Guleria and Ashok Kumar, "Antifungal activity of some Himalayan medicinal plants using direct bioautography" Journal of cell and molecular biology, 2006, 5, 95-98.
- 21. Veena Prajapati, A. K Tripathi, S. PS. Khanuja and Sushil Kumar, "Anti-insect screening of medicinal plants from kukrail forest, Lucknow, India" pharmaceutical biology (Taylor and Francis), 2003, 41 (3), 166-170.
- 22. Raghavendra H. Lakshamanashetty, Vijayananda B.Nagaraj, Madhumathi G.Hiremath and Vadlapudi Kumar, "In vitro antioxidant activity of *vitex negundo L*. leave extracts" Chiang Mai. Journal sciences, 2010, 37 (3), 489-497.

- 23. M. Ashraful Alam, M. Mostafizur Rahman, Nusrat Subhan, Muntasir Mamun Majumder, S.M Raquibul Hasan, Raushanara Akter, M. Ehsanul Haque Mazumder and Abdullah Faruque, "Antioxidant potential of the ethanol extract of the leaves of *Vitex negundo L*." Turkey journal of pharmaceutical science, 2009, 6 (1), 11-20.
- 24. Kaliyaperumal Karunamoorthi, Sayeenathan Ramanujam and Rajendran Rathinasamy, "Evaluation of leaf extracts of *Vitex negungo L*. (Family: Verbenaceae) against larvae of *Culex tritaeniorhynchus* repellent activity on adult mosquitoes", Parasitol res, 2008, 103, 545-550.
- 25. Chitra V. Shrinivas Sharma and Nandu Kayande, "Anti-cancer activity of *vitex negundo* in experimental animals: An in vitro and in vivo study" International journal of pharmtech research, 2009, 1 (4), 1485-1489.
- 26. J. Reema Murthy, S.Venkataraman, R.Meera, Kiran S.Desmukh, N.Chidambaranathan, P.Devi, "Phytochemical investigation and antipyretic activity of leaf extract of *Vitex negundo* Linn" International journal of pharmtech research, 2010 2 (2), 1068-1073.
- 27. K.Sahayaraj and C.Ravi, "Preliminary phytochemistry of *Ipomea carnea jacq* and *vitex negundo Linn*. leaves" International journal of chemical science, 2008, 6(1), 1-6.
- 28. Samreen Fatema, Mazahar Farooqui, Ghumre Parmila and Pathan Mohd Arif, "The phytochemical and antioxidant property of ethereal extract of *Hibiscus rosasinensis* leaves" Research journal of pharmaceutical, biological and chemical sciences, 2018, 9 (3), 603-608.
- 29. Kalpna Rakholiya, Mitla Kanerla and Sumitra Chanda, "Physicochemical and phytochemical analysis of different parts of Indian kesar Mango- A unique variety from Saurashtra region of Gujrat" pharmacogenacy journal, 2016, 8(5), 502-506.
- 30. D.Kubmarawa, G.A Ajoku, N.M.Enwerem and D.A.Okorie,"Preliminary phytochemical and antimicrobial screening of 50 medicinal plants from Nigeria" African journal of biotechnology, 2007, 6(14), 1690-1696.
- 31. Farrukh Aqil and Iqbal Ahmad,"Broad spectrum antibacterial and antifungal properties of certain traditionally used Indian medicinal plants" World journal of microbiology and biotechnology, 2003, 19, 653-657.
- 32. Rafia Rasool, Bashir A Ganai, Seema Akbar, Azra N Kamili and Akbar Massod,"Phytochemical screening of *Prunella Vulgaris L* An important medicinal plant of Kashmir" Pakistan journal of pharmaceutical sciences, 2010, 23 (4), 399-402.
- 33. Seema Abbas, Hammad Saleem, M.Shoaib Ali Gill, Anam Mubashar Bajwa, Ammar Sarwar and M.Ovias Omer, "Physicochemical, phytochemical and nutritional values determination of *Suada fruticosa* (Chenopodiaceae)" Academica journal of medicinal plants, 2016, 4(8), 1-9.
- 34. B. Padma Selvi, G. Prasanna and R. Anuradha, "Physicochemical and phytochemical analysis of the rhizome of *Drynaria quercifolia L*." International journal of phytopharmacy research, 2016, 7(1), 18-22.
- 35. Nivedita and Priyanka Vijay, "Physicochemical and phytochemical analysis of *Eclipta Alba*" International journal of pharma and bio science, 2013, 4(3), 882-889.
- 36. Aina DA, Jonathan SG, Olawuyi OJ, Ojelabi DO and Dutowoju BM," Antioxidant, anti-microbial and phytochemical properties of alcoholic extracts of *Cantharellus cibarius* A Nigerian mushroom" New York science journal, 2012, 5 (10).
- 37. Naznin Ara and Hasan Nur, "In vitro antioxidant activity of methanolic leaves and flowers extracts of *Lippia Alba*" Research journal of medicine and medical sciences, 2009, 4(1), 107-110.
- 38. Masafumi Okawa, Junei Kinjo, Tushihiro Nohara, Masateri Ono, "DPPH (1,1-diphenyl-2picrylhydrazyl) radical scavenging activity of flavonoids obtained from medicinal plants" Biol. Pharma. Bull, 2001, 24 (10).
- 39. Ahasan Dar, Shaheen Faizi, Sabira Naqvi, Talat Roome, Sadia Zikr-Ur-Rehman, Muhammad Ali, Sadiqa Firdous, Syed Tarique Moin, "Analgesic and antioxidant activity of Mangiferin and its derivatives: the structure activity relationship" Biol pharm Bull, 2005, 28(4), 596-600.